IN THE CLAIMS:

Claims 1-4 (**cancelled**).

Claim 5 (**currently amended**): A compound as claimed in claim 20~~-18~~ wherein Zb is -O-.

Claim 6 (**currently amended**): A compound as claimed in claim 20~~-18~~ wherein R^{2a} is methoxy.

Claim 7 (**cancelled**).

Claim 8 (**currently amended**): A compound as claimed in claim 20~~-18~~ wherein R^1 is a phenyl group or a 5-6-membered heteroaromatic group with 1-3 heteroatoms, selected independently from O, S and N, (linked via a ring carbon atom), which phenyl or heteroaromatic group is optionally substituted as defined in claim 20~~-18~~.

Claim 9 (**cancelled**).

Claim 10 (**currently amended**): A compound as claimed in claim 20~~-18~~ wherein R^2 represents 2-methoxyethoxy, 2-(2-methoxyethoxy)ethoxy, 3-methoxypropoxy, 2-methylsulphonylethoxy, 3-methylsulphonylpropoxy, 2-(tetrahydropyran-4-yloxy)ethoxy, 3-(tetrahydropyran-4-yloxy)propoxy, 2-(4-methylpiperazin-1-yl)ethoxy, 3-(4-methylpiperazin-1-yl)propoxy, 2-morpholinoethoxy, 3-morpholinopropoxy, 2-(imidazol-1-yl)ethoxy, 3-(imidazol-1-yl)propoxy 2-(1,1-dioxothiomorpholino)ethoxy, 3-(1,1-dioxothiomorpholino)propoxy, 2-(1,2,3-triazol-1-yl)ethoxy, 3-(1,2,3-triazol-1-yl)propoxy, 2-(N-methoxyacetyl-N-methylamino)ethoxy, 3-(N-methoxyacetyl-N-methylamino)propoxy, N-methylpiperidin-3-ylmethoxy, 4-(pyrrolidin-1-yl)but-2-en-yloxy, 2-(2-oxopyrrolidin-1-yl)ethoxy, 3-(2-oxopyrrolidin-1-yl)propoxy, 2-(pyrrolidin-1-yl)ethoxy, 3-(pyrrolidin-1-yl)propoxy,

2-(2-(pyrrolidin-1-yl)ethoxy)ethoxy, 2-(2-(4-methylpiperazin-1-yl)ethoxy)ethoxy,
2-piperidinoethoxy, 3-piperidinopropoxy, 2-(methylpiperidino)ethoxy,
3-(methylpiperidino)propoxy, 2-(ethylpiperidino)ethoxy, 3-(ethylpiperidino)propoxy,
2-((2-methoxyethyl)piperidino)ethoxy, 3-((2-methoxyethyl)piperidino)propoxy,
2-((2-methylsulphonyl)ethylpiperidino)ethoxy,
3-((2-methylsulphonyl)ethylpiperidino)propoxy, piperidin-3-ylmethoxy,
piperidin-4-ylmethoxy, 2-(piperidin-3-yl)ethoxy, 2-(piperidin-4-yl)ethoxy,
3-(piperidin-3-yl)propoxy, 3-(piperidin-4-yl)propoxy, 2-(methylpiperidin-3-yl)ethoxy,
2-(methylpiperidin-4-yl)ethoxy, 3-(methylpiperidin-3-yl)propoxy,
3-(methylpiperidin-4-yl)propoxy, 2-(ethylpiperidin-3-yl)ethoxy,
2-(ethylpiperidin-4-yl)ethoxy, 3-(ethylpiperidin-3-yl)propoxy,
3-(ethylpiperidin-4-yl)propoxy, 2-((2-methoxyethyl)piperidin-3-yl)ethoxy,
2-((2-methoxyethyl)piperidin-4-yl)ethoxy, 3-((2-methoxyethyl)piperidin-3-yl)propoxy,
3-((2-methoxyethyl)piperidin-4-yl)propoxy,
2-((2-methylsulphonylethyl)piperidin-3-yl)ethoxy,
2-((2-methylsulphonylethyl)piperidin-4-yl)ethoxy,
3-((2-methylsulphonylethyl)piperidin-3-yl)propoxy,
3-((2-methylsulphonylethyl)piperidin-4-yl)propoxy, 1-isopropylpiperidin-2-ylmethyl,
1-isopropylpiperidin-3-ylmethyl, 1-isopropylpiperidin-4-ylmethyl,
2-(1-isopropylpiperidin-2-yl)ethyl, 2-(1-isopropylpiperidin-3-yl)ethyl,
2-(1-isopropylpiperidin-4-yl)ethyl, 3-(1-isopropylpiperidin-2-yl)propyl,
3-(1-isopropylpiperidin-3-yl)propyl, 3-(1-isopropylpiperidin-4-yl)propyl,
3-(4-methylpiperazin-1-yl)propoxy, 1-methylpiperidin-4-ylmethoxy,
1-(2-methylsulphonylethyl)piperidin-4-ylmethoxy,
1-(2-pyrrolidinylethyl)piperidin-4-ylmethoxy,
1-(3-pyrrolidinylpropyl)piperidin-4-ylmethoxy, 1-(2-piperidinylethyl)piperidin-4-ylmethoxy,
1-(3-piperidinylpropyl)piperidin-4-ylmethoxy, 1-(2-morpholinoethyl)piperidin-4-ylmethoxy,
1-(3-morpholinopropyl)piperidin-4-ylmethoxy,
1-(2-thiomorpholinoethyl)piperidin-4-ylmethoxy,

1-(3-thiomorpholinopropyl)piperidin-4-ylmethoxy,
1-(2-azetidinylethyl)piperidin-4-ylmethoxy or 1-(3-azetidinylpropyl)piperidin-4-ylmethoxy.

Claim 11 (**currently amended**): A compound as claimed in claim 20 ~~18~~ selected from:
4-(5-(4-methoxyphenyl)pyrazol-3-yloxy)-6-methoxy-7-(1-methylpiperidin-4-ylmethoxy)-quinazoline,
4-(5-(4-methoxyphenyl)pyrazol-3-yloxy)-6-methoxy-7-(3-(4-methylpiperazin-1-yl)-propoxy)quinazoline,
6-methoxy-7-(2-(2-methoxyethoxy)ethoxy)-4-(5-phenylpyrazol-3-yloxy)quinazoline,
4-(5-(3-furyl)pyrazol-3-yloxy)-6-methoxy-7-(3-morpholinopropoxy)quinazoline,
6-methoxy-7-(3-morpholinopropoxy)-4-(5-phenylpyrazol-3-yloxy)quinazoline,
7-(2-(imidazol-1-yl)ethoxy)-6-methoxy-4-(5-phenylpyrazol-3-yloxy)quinazoline,
4-(5-(4-chlorophenyl)pyrazol-3-yloxy)-6-methoxy-7-(3-morpholinopropoxy)quinazoline,
6-methoxy-7-(3-(4-methylpiperazin-1-yl)propoxy)-4-(5-phenylpyrazol-3-yloxy)-quinazoline,
6-methoxy-7-(2-methoxyethoxy)-4-(5-phenylpyrazol-3-yloxy)quinazoline,
4-(5-(4-methoxyphenyl)pyrazol-3-yloxy)-6-methoxy-7-(2-(1,2,3-triazol-1-yl)ethoxy)-quinazoline and
4-(5-(4-methoxyphenyl)pyrazol-3-yloxy)-6-methoxy-7-(1-(2-methylsulphonylethyl)-piperidin-4-ylmethoxy)quinazoline,
and salts thereof.

Claim 12 (**currently amended**): A compound as claimed in claim 20 ~~18~~ selected from:
7-(2-methoxyethoxy)-4-(5-phenylpyrazol-3-yloxy)quinazoline,
4-(5-(2-fluorophenyl)pyrazol-3-yloxy)-6-methoxy-7-(3-morpholinopropoxy)quinazoline,
6-methoxy-7-(3-morpholinopropoxy)-4-(5-(3-nitrophenyl)pyrazol-3-yloxy)quinazoline,
6-methoxy-7-(3-morpholinopropoxy)-4-(5-(4-nitrophenyl)pyrazol-3-yloxy)quinazoline,
6-methoxy-7-(3-morpholinopropoxy)-4-(5-(4-pyridyl)pyrazol-3-yloxy)quinazoline,

4-(5-(4-fluorophenyl)pyrazol-3-yloxy)-6-methoxy-7-(3-morpholinopropoxy)quinazoline, and 6-methoxy-7-(2-methoxyethoxy)-4-(5-(4-methoxyphenyl)pyrazol-3-yloxy)quinazoline, and salts thereof.

Claim 13 (**cancelled**).

Claim 14 (**currently amended**): A compound as claimed in any one of claims 20~~-18~~ and 5-6, 8 and 10 to 12 in the form of a pharmaceutically acceptable salt.

Claim 15 (**cancelled**).

Claim 16 (**currently amended**): A pharmaceutical composition which comprises as active ingredient a compound of formula II or a pharmaceutically acceptable salt thereof as claimed in any one of claims 20~~-18~~ and 5-6, 8 and 10 to 12 in association with a pharmaceutically acceptable excipient or carrier.

Claims 17-18 (**cancelled**).

19 (**currently amended**): A process for the preparation of a compound of formula II or salt thereof, as defined in claim 20~~-18~~, wherein , unless otherwise defined herein, Z herein is Z^b as defined in claim 20, R^2 herein when at the 7-position of the quinazoline ring is R^2 as defined in claim 20, R^2 herein when at the 6-position of the quinazoline ring is R^{2a} as defined in claim 20, and ring C, R^1, n, m, R^5 and X^1 herein are as defined in claim 20, said process comprising~~which comprises~~:

(a) the reaction of a compound of the formula III:



(III)

, wherein R^2 and m are as defined in claim 20 ~~18~~ and L^1 is a displaceable moiety, with a compound of the formula IV:



(IV)

~~, wherein ring C, R^1, Z and n are as defined in claim 18~~;

(b) compounds of formula II and salts thereof wherein at least one R^2 is R^5X^1 wherein ~~R^5 is as defined in claim 18 and~~ X^1 is -O-, -S-, -OCO- or -NR^{10}-, wherein R^{10} independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl may be prepared by the reaction of a compound of the formula V:



(V)

, wherein ~~ring C, Z, R^1, R^2 and n are as defined in claim 18 and~~ X^1 is as defined herein in this section and s is an integer from 0 to 2 with a compound of formula VI:

$$R^5\text{-}L^1 \qquad \text{(VI)}$$

, wherein ~~R^5 is as defined in claim 18 and~~ L^1 is as defined herein;

(c) compounds of the formula II and salts thereof wherein at least one R^2 is R^5X^1 wherein ~~R^5 is as defined in claim 18 and~~ X^1 is -O-, -S-, -OCO- or $-NR^{10}-$, wherein R^{10} represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl may be prepared by the reaction of a compound of the formula VII:



(VII)

with a compound of the formula VIII:

$$R^5\text{-}X^1\text{-}H \qquad \text{(VIII)}$$

, wherein ~~R^1, R^2, R^5, ring C, Z and n are as defined in claim 18 and~~ s and L^1 are as defined herein and X^1 is as defined herein in this section;

(d) compounds of the formula II and salts thereof wherein at least one R^2 is R^5X^1 wherein X^1 is as defined in claim 20 ~~18~~ and R^5 is C_{1-5}alkylR^{62}, wherein R^{62} is selected from one of the following nine groups:

1) $X^{10}C_{1-3}$alkyl, wherein X^{10} represents -O-, -S-, $-SO_2-$, $-NR^{63}CO-$ or $-NR^{64}SO_2-$, wherein R^{63} and R^{64} which may be the same or different are each hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl;

2) $NR^{65}R^{66}$, wherein R^{65} and R^{66} which may be the same or different are each hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl;

3) $X^{11}C_{1-5}$alkylX^5R^{22}, wherein X^{11} represents -O-, -S-, -SO_2-, -NR^{67}CO-, -$NR^{68}SO_2$- or -NR^{69}-, wherein R^{67}, R^{68}, and R^{69} which may be the same or different are each hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl and X^5 and R^{22} are as defined in claim 20~~18~~;

4) R^{59}, ~~R^{28}~~, wherein R^{59} ~~R^{28}~~ is as defined in claim 20~~18~~;

5) $X^{12}R^{29}$, wherein X^{12} represents -O-, -S-, -SO_2-, -NR^{70}CO-, -$NR^{71}SO_2$-, or -NR^{72}-, wherein R^{70}, R^{71}, and R^{72} which may be the same or different are each hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl and R^{29} is as defined in claim 20~~18~~;

6) $X^{13}C_{1-2}$alkylR^{29}, ~~preferably $X^{13}C_{1-3}$alkylR^{29}~~, wherein X^{13} represents -O-, -S-, -SO_2-, -NR^{73}CO-, -$NR^{74}SO_2$- or -NR^{75}-, wherein R^{73}, R^{74} and R^{75} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{29} is as defined in claim 20~~18~~;

7) R^{29}, wherein R^{29} is as defined in claim 20~~18~~;

8) $X^{14}C_{1-3}$alkylR^{28}, wherein X^{14} represents -O-, -S-, -SO_2-, -NR^{76}CO-, -$NR^{77}SO_2$- or -NR^{78}-, wherein R^{76}, R^{77} and R^{78} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{28} is as defined in claim 20~~18~~; and

9) $R^{54}C_{1-2}$alkylX^9R^{55}, ~~$R^{54}C_{1-3}$alkylX^9R^{55}~~, wherein R^{54}, R^{55} and X^9 are as defined in claim 20~~18~~;

may be prepared by reacting a compound of the formula IX:



(IX)

, wherein ~~X^1, R^1, R^2, ring C, Z and n are as defined in claim 18 and~~ s and L^1 are as defined herein) with a compound of the formula X:

$$R^{62}\text{-}H \qquad (X)$$

, wherein R^{62} is as defined herein);

(e) compounds of the formula II and salts thereof wherein one or more of the substituents $(R^2)_m$ is represented by $-NR^{79}R^{80}$, where one (and the other is hydrogen) or both of R^{79} and R^{80} are C_{1-3}alkyl, may be prepared by the reaction of compounds of formula II wherein the substituent $(R^2)_m$ is an amino group and an alkylating agent;

(f) compounds of the formula II and salts thereof wherein X^1 is -SO- or $-SO_2-$ may be prepared by oxidation from the corresponding compound in which X^1 is -S- or -SO-;

and optionally forming ~~when~~ a salt of a compound of formula II ~~is required,~~ by reaction of the compound obtained with an acid or base whereby to obtain the desired salt.

Claim 20 (**new**): A compound of the formula II:



II

wherein:

ring C is pyrazolyl;

Zb is –O- or –S-;

R^1 represents hydrogen, C_{1-4}alkyl, C_{1-4}alkoxymethyl, di(C_{1-4}alkoxy)methyl, C_{1-4}alkanoyl, trifluoromethyl, cyano, amino, C_{2-5}alkenyl, C_{2-5}alkynyl, a phenyl group, a benzyl group or a 5-6-membered heterocyclic group with 1-3 heteroatoms, selected independently from

O, S and N, which heterocyclic group may be aromatic or non-aromatic and may be saturated and linked via a ring carbon or nitrogen atom, or unsaturated and linked via a ring carbon atom, and which phenyl, benzyl or heterocyclic group may bear on one or more ring carbon atoms up to 5 substituents selected from hydroxy, halogeno, C_{1-3}alkyl, C_{1-3}alkoxy, C_{1-3}alkanoyloxy, trifluoromethyl, cyano, amino, nitro, C_{2-4}alkanoyl, C_{1-4}alkanoylamino, C_{1-4}alkoxycarbonyl, C_{1-4}alkylsulphanyl, C_{1-4}alkylsulphinyl, C_{1-4}alkylsulphonyl, carbamoyl, N-C_{1-4}alkylcarbamoyl, N,N-di(C_{1-4}alkyl)carbamoyl, aminosulphonyl, N-C_{1-4}alkylaminosulphonyl, N,N-di(C_{1-4}alkyl)aminosulphonyl, C_{1-4}alkylsulphonylamino, C_{1-4}alkylamino, C_{1-4}hydroxyalkyl, C_{1-4}aminoalkyl, C_{1-4}haloalkyl, C_{1-4}hydroxyalkoxy, carboxy and a saturated heterocyclic group selected from morpholino, thiomorpholino, pyrrolidinyl, piperazinyl, piperidinyl imidazolidinyl and pyrazolidinyl, which saturated heterocyclic group may bear 1 or 2 substituents selected from oxo, hydroxy, halogeno, C_{1-3}alkyl, C_{1-3}alkoxy, C_{1-3}alkanoyloxy, trifluoromethyl, cyano, amino, nitro and C_{1-4}alkoxycarbonyl; and additionally R^1 may represent carboxy, C_{3-7}cycloalkyl, C_{3-7}cycloalkylC_{1-3}alkyl, or phenylC_{2-4}alkyl wherein the phenyl moiety may bear up to 5 substituents selected from the list herein defined for a phenyl ring which is directly linked to ring C;

n is an integer from 0 to 5;

m is an integer from 0 to 3;

R^2 represents hydroxy, nitro, trifluoromethyl, cyano, amino or R^5X^1- wherein X^1 represents a direct bond, -O-, -CH_2-, -OCO-, carbonyl, -S-, -SO-, -SO_2-, -NR^6CO-, -$CONR^7$-, -SO_2NR^8-, -NR^9SO_2- or -NR^{10}-, wherein R^6, R^7, R^8, R^9 and R^{10} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^5 is selected from one of the following eighteen groups:

1) C_{1-4}alkyl which may be unsubstituted or substituted with one or more fluorine atoms, or C_{2-4}alkyl which may be unsubstituted or substituted with 1 or 2 groups selected from hydroxy and amino;

2) C_{2-3}alkylX^2COR^{11}, wherein X^2 represents -O- or -NR^{12}-, in which R^{12} represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{11} represents -$NR^{13}R^{14}$ or -OR^{15},

wherein R^{13}, R^{14} and R^{15} which may be the same or different are each C_{1-2}alkyl or C_{1-2}alkoxyethyl;

3) C_{2-4}alkylX^3R^{16}, wherein X^3 represents -O-, -S-, -SO-, $-SO_2-$, -OCO-, $-NR^{17}CO-$, $-CONR^{18}-$, $-SO_2NR^{19}-$, $-NR^{20}SO_2-$ or $-NR^{21}-$, wherein R^{17}, R^{18}, R^{19}, R^{20} and R^{21} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{16} is a group selected from C_{1-3}alkyl, cyclopentyl, cyclohexyl, pyrrolidinyl and piperidinyl which group is linked to X^3 through a carbon atom and which C_{1-3}alkyl group may bear 1 or 2 substituents selected from oxo, hydroxy, halogeno and C_{1-2}alkoxy and which cyclopentyl, cyclohexyl, pyrrolidinyl or piperidinyl group may carry one substituent selected from oxo, hydroxy, halogeno, C_{1-2}alkyl, C_{1-2}hydroxyalkyl and C_{1-2}alkoxy;

4) C_{2-3}alkylX^4C_{2-3}alkylX^5R^{22}, wherein X^4 and X^5, which may be the same or different, are each -O-, -S-, -SO-, $-SO_2-$, $-NR^{23}CO-$, $-CONR^{24}-$, $-SO_2NR^{25}-$, $-NR^{26}SO_2-$ or $-NR^{27}-$, wherein R^{23}, R^{24}, R^{25}, R^{26} and R^{27} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{22} represents hydrogen or C_{1-3}alkyl;

5) C_{1-4}alkylR^{59}, wherein R^{59} is a group selected from pyrrolidinyl, piperazinyl, piperidinyl, 1,3-dioxolan-2-yl, 1,3-dioxan-2-yl, 1,3-dithiolan-2-yl and 1,3-dithian-2-yl, which group is linked to C_{1-4}alkyl through a carbon atom and which group may carry 1 or 2 substituents selected from oxo, hydroxy, halogeno, C_{1-3}alkyl, C_{1-3}hydroxyalkyl, C_{1-3}alkoxy, C_{1-2}alkoxyC_{1-3}alkyl and C_{1-2}alkylsulphonylC_{1-3}alkyl or C_{2-4}alkylR^{60}, wherein R^{60} is a group selected from morpholino, thiomorpholino, pyrrolidin-1-yl, piperazin-1-yl and piperidino which group may carry 1 or 2 substituents selected from oxo, hydroxy, halogeno, C_{1-3}alkyl, C_{1-3}hydroxyalkyl, C_{1-3}alkoxy, C_{1-2}alkoxyC_{1-3}alkyl and C_{1-2}alkylsulphonylC_{1-3}alkyl;

6) C_{3-4}alkenylR^{61}, wherein R^{61} represents R^{59} or R^{60} as defined herein;

7) C_{3-4}alkynylR^{61}, wherein R^{61} represents R^{59} or R^{60} as defined herein;

8) R^{29}, wherein R^{29} represents a pyridone group, a phenyl group or a 5-6-membered aromatic heterocyclic group, linked via carbon or nitrogen, with 1-3 heteroatoms selected from O, N and S, which pyridone, phenyl or aromatic heterocyclic group

may carry up to 5 substituents on an available carbon atom selected from hydroxy, halogeno, amino, C_{1-4}alkyl, C_{1-4}alkoxy, C_{1-4}hydroxyalkyl, C_{1-4}aminoalkyl, C_{1-4}alkylamino, C_{1-4}hydroxyalkoxy, carboxy, trifluoromethyl, cyano, $-CONR^{30}R^{31}$ and $-NR^{32}COR^{33}$, wherein R^{30}, R^{31}, R^{32} and R^{33}, which may be the same or different, each represents hydrogen, C_{1-4}alkyl or C_{1-3}alkoxyC_{2-3}alkyl;

9) C_{1-4}alkylR^{29}, wherein R^{29} is as defined herein;

10) 1-R^{29}prop-1-en-3-yl or 1-R^{29}but-2-en-4-yl, wherein R^{29} is as defined herein with the proviso that when R^5 is 1-R^{29}prop-1-en-3-yl, R^{29} is linked to the alkenyl group via a carbon atom;

11) 1-R^{29}prop-1-yn-3-yl or 1-R^{29}but-2-yn-4-yl, wherein R^{29} is as defined herein with the proviso that when R^5 is 1-R^{29}prop-1-yn-3-yl, R^{29} is linked to the alkynyl group via a carbon atom;

12) C_{1-5}alkylX^6R^{29}, wherein X^6 represents -O-, -S-, -SO-, $-SO_2-$, $-NR^{34}CO-$, $-CONR^{35}-$, $-SO_2NR^{36}-$, $-NR^{37}SO_2-$ or $-NR^{38}-$, wherein R^{34}, R^{35}, R^{36}, R^{37} and R^{38} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{29} is as defined herein;

13) 1-($R^{29}X^7$)but-2-en-4-yl, wherein X^7 represents -O-, -S-, -SO-, $-SO_2-$, $-NR^{39}CO-$, $-CONR^{40}-$, $-SO_2NR^{41}-$, $-NR^{42}SO_2-$ or $-NR^{43}-$, wherein R^{39}, R^{40}, R^{41}, R^{42} and R^{43} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{29} is as defined herein;

14) 1-($R^{29}X^8$)but-2-yn-4-yl, wherein X^8 represents -O-, -S-, -SO-, $-SO_2-$, $-NR^{44}CO-$, $-CONR^{45}-$, $-SO_2NR^{46}-$, $-NR^{47}SO_2-$ or $-NR^{48}-$, wherein R^{44}, R^{45}, R^{46}, R^{47} and R^{48} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{29} is as defined herein;

15) C_{2-3}alkylX^9C_{1-2}alkylR^{29}, wherein X^9 represents -O-, -S-, -SO-, $-SO_2-$, $-NR^{49}CO-$, $-CONR^{50}-$, $-SO_2NR^{51}-$, $-NR^{52}SO_2-$ or $-NR^{53}-$, wherein R^{49}, R^{50}, R^{51}, R^{52} and R^{53} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl, and R^{29} is as defined herein;

16) R^{28}, wherein R^{28} is a 5-6-membered saturated heterocyclic group, linked via carbon or nitrogen, with 1-2 heteroatoms selected independently from O, S and N, which heterocyclic group may bear 1 or 2 substituents selected from oxo, hydroxy, halogeno, C_{1-4}alkyl, C_{1-4}hydroxyalkyl, C_{1-4}alkoxy, C_{1-4}alkoxyC_{1-4}alkyl, C_{1-4}alkylsulphonylC_{1-4}alkyl and C_{1-4}alkoxycarbonyl;

17) C_{2-3}alkylX^9C_{1-2}alkylR^{28}, wherein X^9 and R^{28} are as defined herein; and

18) C_{2-3}alkyl$R^{54}C_{1-2}$alkylX^9R^{55}, wherein X^9 is as defined herein, and R^{54} and $R^{55}$are each independently selected from hydrogen, C_{1-3}alkyl, cyclopentyl, cyclohexyl and a 5-6-membered saturated heterocyclic group with 1-2 heteroatoms, selected independently from O, S and N, which C_{1-3}alkyl group may bear 1 or 2 substituents selected from oxo, hydroxy, halogeno and C_{1-4}alkoxy and which cyclic group may bear 1 or 2 substituents selected from oxo, hydroxy, halogeno, C_{1-4}alkyl, C_{1-4}hydroxyalkyl, C_{1-4}alkoxy, C_{1-4}cyanoalkyl and C_{1-4}alkoxycarbonyl, with the proviso that R^{54} cannot be hydrogen;

and additionally wherein any C_{1-5}alkyl, C_{2-5}alkenyl or C_{2-5}alkynyl group in R^5X^1- may bear one or more substituents selected from hydroxy, halogeno and amino; provided that R^2 is not hydrogen, substituted or unsubstituted C_{1-5}alkyl, C_{1-5}alkoxy, phenoxy or phenylC_{1-5}alkoxy; and

R^{2a} represents hydrogen, halogeno, C_{1-3}alkyl, C_{1-3}alkoxy, C_{1-3}alkylthio, $-NR^{3a}R^{4a}$, wherein R^{3a} and R^{4a}, which may be the same or different, each represents hydrogen or C_{1-3}alkyl, or $R^{5a}(CH_2)_{za}X^{1a}$, wherein R^{5a} is a 5- or 6-membered saturated heterocyclic group with 1-2 heteroatoms, selected independently from O, S and N, which heterocyclic group may bear 1 or 2 substituents selected from oxo, hydroxy, halogeno, C_{1-4}alkyl, C_{1-4}hydroxyalkyl and C_{1-4}alkoxy, za is an integer from 0 to 4 and X^{1a} represents a direct bond, -O-, $-CH_2-$, -S-, -SO-, $-SO_2-$, $-NR^{6a}CO-$, $-CONR^{7a}-$, $-SO_2NR^{8a}-$, $-NR^{9a}SO_2-$ or $-NR^{10a}-$, wherein R^{6a}, R^{7a}, R^{8a}, R^{9a} and R^{10a} each independently represents hydrogen, C_{1-3}alkyl or C_{1-3}alkoxyC_{2-3}alkyl;

or a salt thereof.